



**THE ANDERSONS
SAFETY DATA SHEET**

DATE PREPARED: 05/09/05

CURRENT AS OF: 7/6/15

SECTION 1: PRODUCT / SUPPLIER IDENTIFICATION

PRODUCT CODE: APT218AL50

PRODUCT NAME: The Andersons Turf Products Fertilizer with Allectus Insecticide 21-0-7

PRODUCT USE: Fertilizer / Pesticide

MFR INFO: The Andersons Lawn Products
PO Box 119
Maumee, Ohio, USA 43537

FOR EMERGENCY: (800) 757-8951

FOR INFORMATION: (419) 891-2957

SECTION 2: HAZARDS IDENTIFICATION

HAZARD SYMBOLS / STATEMENTS:



DANGER

**TOXIC IF SWALLOWED
MAY BE HARMFUL IN CONTACT WITH SKIN
MAY CAUSE MILD SKIN IRRITATION
MAY CAUSE EYE IRRITATION
MAY CAUSE RESPIRATORY IRRITATION**



HAZARD CLASSIFICATIONS:

ACUTE TOXICITY
SKIN IRRITATION
EYE IRRITATION
TARGET ORGAN SYSTEMIC TOXICITY

CATEGORY

3
3
2B
3

INTERPRETATION

Moderate to High
Mild Skin Irritation Possible
Promptly Reversible Eye Irritation Possible
Transient Respiratory Irritation Possible

PRECAUTIONARY STATEMENTS:

- *DO NOT EAT, DRINK, OR SMOKE WHEN USING PRODUCT*
- *IF SWALLOWED, IMMEDIATELY CALL A POISON CENTER / PHYSICIAN*
- *KEEP OUT OF REACH OF CHILDREN*
- *READ LABEL BEFORE USE*
- *IF MEDICAL ADVICE IS NEEDED, HAVE PRODUCT CONTAINER OR LABEL ON HAND*
- *CALL A POISON CENTER / PHYSICIAN IF UNWELL*
- *IF ON SKIN, WASH WITH PLENTY OF SOAP AND WATER*
- *IF SKIN IRRITATION OCCURS, GET MEDICAL ADVICE*
- *IF IN EYES, RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES – REMOVE CONTACT LENSES*
- *IF EYE IRRITATION PERSISTS, GET MEDICAL ADVICE*
- *WASH HANDS AFTER HANDLING*
- *USE ONLY OUTDOORS OR IN WELL VENTILATED AREAS*
- *AVOID BREATHING DUST*
- *STORE CONTAINER TIGHTLY CLOSED, LOCKED UP*
- *DISPOSE OF CONTENTS / CONTAINER IN ACCORDANCE WITH NATIONAL / REGIONAL / LOCAL REGULATIONS*

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

<u>CHEMICAL IDENTITY</u>	<u>SYNONYM</u>	<u>CAS NUMBER</u>	<u>CONCENTRATION (%)</u>
Limestone	Dolomite	16389-88-1	38.3
Urea		57-13-6	27.4
Sulfur coated urea		Mixture	19.6
Potassium chloride	Potash	7447-40-7	11.3
Clay		Mixture	2.5

SECTION 4: FIRST AID MEASURES

IF INHALED:	Move victim to fresh air. Seek medical attention if irritation persists.
IF ON SKIN:	Wash affected areas with soap and water. Seek medical attention if irritation persists. Wash contaminated clothing before re-use.
IF IN THE EYES:	Immediately flush with water for at least 20 minutes. Seek medical attention if irritation persists.
IF SWALLOWED:	If victim is alert and not convulsing, give one glass of water to dilute material, but DO NOT induce vomiting. Seek immediate medical attention.
SPECIAL TREATMENT:	None known
HEALTH HAZARDS:	See Section 11

SECTION 5: FIREFIGHTING MEASURES

EXTINGUISHING MEDIA:	Use media suitable for surrounding fire. No special media required.
SPECIFIC FIRE HAZARDS:	Decomposition products may be toxic. Sulfur will burn when separated from molten urea.
SPECIAL FIREFIGHTING PROCEDURES:	Wear full protective clothing and positive-pressure self-contained breathing apparatus.

SECTION 6: ACCIDENTAL RELEASE MEASURES

SPILL / RELEASE PROCEDURES: Collect spilled product and store to re-use. Contaminated product and/or environmental media should be recovered and disposed of properly. Bifenthin is highly toxic to fish and aquatic organisms. Keep out of water bodies.

ENVIRONMENTAL PRECAUTIONS: Prevent spilled material from entering storm drains or water bodies.

PROTECTIVE EQUIPMENT: See Section 8

SECTION 7: HANDLING AND STORAGE

Store in a cool, dry, well ventilated area. Do not store above 120° F.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMITS:

<u>HAZARDOUS COMPONENT</u>	<u>OSHA PEL</u>	<u>ACGIH TLV</u>
Limestone	15 mg/m ³ (total) 5 mg/m ³ (respirable)	10 mg/m ³ (inhalable) 3 mg/m ³ (respirable)
Urea	15 mg/m ³ (total) 5 mg/m ³ (respirable)	10 mg/m ³ (inhalable) 3 mg/m ³ (respirable)
Potassium chloride	15 mg/m ³ (total) 5 mg/m ³ (respirable)	10 mg/m ³ (inhalable) 3 mg/m ³ (respirable)
Clay	15 mg/m ³ (total) 5 mg/m ³ (respirable)	10 mg/m ³ (inhalable) 3 mg/m ³ (respirable)

PERSONAL PROTECTIVE EQUIPMENT / PROTECTION MEASURES / CONTROLS:

RESPIRATORY PROTECTION: NIOSH approved pesticide respirator, if required

EYE PROTECTION: Safety glasses with sideshields, goggles, or faceshield recommended

SKIN PROTECTION: Long sleeves, chemical-resistant (rubber) gloves recommended

VENTILATION: Local exhaust ventilation recommended

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR:	Multi-colored granular mix, with slight ammonia / sulfur odor
pH:	Not available
MELTING POINT:	Not available
BOILING POINT:	Not applicable
FLASH POINT:	Not flammable
EVAPORATION RATE:	Not applicable
FLAMMABLE LIMITS:	Not applicable
VAPOR PRESSURE:	Not applicable
VAPOR DENSITY:	Not applicable
SPECIFIC GRAVITY:	Not available
SOLUBILITY (IN WATER):	Partially soluble
PARTITION COEFFICIENT:	Not applicable
AUTOIGNITION TEMP:	Not available
DECOMPOSITION TEMP:	Not available

SECTION 10: STABILITY AND REACTIVITY

STABILITY:	Product is stable.
CONDITIONS TO AVOID:	Excessive heat (greater than 200°F)
INCOMPATIBILITY:	Strong oxidizers, acids, hypochlorites
HAZARDOUS DECOMPOSITION PRODUCTS:	HCN, NO _x , CO _x , NH ₃ , cyanuric acid, SO _x , HCl, HF

SECTION 11: TOXICOLOGICAL INFORMATION

HEALTH EFFECTS: May be irritating to the nose and respiratory tract, and may cause sore throat, coughing and shortness of breath. Skin irritation may result from repeated or prolonged exposure. May also be irritating to the eyes, causing redness and watering. Prolonged eye exposure may cause conjunctivitis and corneal damage. Ingestion may result in nausea, vomiting, nose bleeds, tremors, and convulsions. The bifenthrin active ingredient is moderately toxic by the oral route and slightly toxic by the dermal route. Ingestion of large amounts of sulfur may lead to hydrogen sulfide poisoning due to bacterial conversion of sulfur in the colon.

CARCINOGENICITY: None of the ingredients are known / listed carcinogens. However, the product may contain trace amounts of crystalline silica, which is listed by IARC as a potential human carcinogen.

INGREDIENT TOXICITY RANGES:

ORAL: 175 mg/kg (bifenthrin) – 14,300 mg/kg (urea)

DERMAL: > 2,000 mg/kg (bifenthrin, imidacloprid)

INHALATION: 2.65 mg/L (4 hr) (imidacloprid)

SECTION 12: ECOLOGICAL INFORMATION

This product is not known to be ecotoxic, persistent, or have the potential to bioaccumulate.

SECTION 13: DISPOSAL CONSIDERATIONS

Dispose of in accordance with all national, regional / state, and local regulations. Reuse recovered product where possible.

SECTION 14: TRANSPORT INFORMATION

This product is not regulated as a transportation hazard.

SECTION 15: REGULATORY INFORMATION

SARA SECTION 311 / 312 HAZARD CATEGORY: IMMEDIATE HAZARD

SECTION 16: OTHER INFORMATION

NFPA RATINGS:	HEALTH	2
	FLAMMABILITY	0
	INSTABILITY	0

HMIS RATINGS:	HEALTH	2
	FLAMMABILITY	0
	PHYSICAL HAZARD	0

ACTIVE INGREDIENT LEVEL (%): 0.125 as imidacloprid
0.100 as bifenthrin

MSDS ID NO: 5127

PREPARED BY: SS

The information and data contained herein is based upon facts considered to be correct as of the date hereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. In no event will The Andersons be responsible for damages of any nature whatsoever resulting from the use or reliance upon this information. No representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose or of any other nature are made hereunder with respect to information or the product to which this information refers.